

Reatâncias Trifásicas

RTP

Dimensionais Mecânicos

Item	Ln @ In	Corrente Térmica I th	A [máx] (mm)	B [±2] (mm)	C [máx] (mm)	D [±1] (mm)	E [máx] (mm)	F [±1] (mm)	Massa (kg)		
Trifásicas – 220 a 230 V											
RTEI.0033	1124 μH @ 6,0 A	7,2 A	180	105	50	66	145	OBL 7X12	2,7		
RTEI.0034	963 μH @ 7,0 A	8,4 A							2,9		
RTEI.0035	674 μH @ 10 A	12 A							3,3		
RTEI.0036	519 μH @ 13 A	15,6 A							3,4		
RTEI.0037	422 μH @ 16 A	19,2 A			57	73			145	OBL 7X12	3,5
RTEI.0038	821 μH @ 24 A	28,8 A									4
RTEI.0039	240 μH @ 28 A	33,6 A									4,3
RTEI.0040	204 μH @ 33 A	39,6 A									4,6
RTEI.0041	178 μH @ 38 A	41,8 A									4,8
RTEI.0042	150 μH @ 45 A	49,5 A									5
RTEI.0043	125 μH @ 54 A	59,4 A	240	160	88	120	OBL 10X18	10			
RTEI.0044	97 μH @ 70 A	77 A						11,5			
RTEI.0045	79 μH @ 86 A	94,6 A						13			
RTEI.0046	64 μH @ 105 A	115,5 A			100	215		230	OBL 10X18	14,5	
RTEI.0047	52 μH @ 130 A	143 A								16	

Item	Ln @ In	Corrente Térmica I th	A [máx] (mm)	B [±2] (mm)	C [máx] (mm)	D [±1] (mm)	E [máx] (mm)	F [±1] (mm)	Massa (kg)		
Trifásicas – 380 a 480 V											
RTEI.0048	3745 μH @ 3,6 A	4,3 A	180	105	50	66	145	OBL 7X12	2,7		
RTEI.0049	3288 μH @ 4,1 A	4,9 A							2,9		
RTEI.0050	2451 μH @ 5,5 A	6,6 A							3		
RTEI.0051	1500 μH @ 9,3 A	11 A							3,2		
RTEI.0052	1037 μH @ 13 A	15,6 A							3,5		
RTEI.0053	843 μH @ 16 A	19,2 A							4		
RTEI.0054	562 μH @ 24 A	28,8 A							4,3		
RTEI.0055	450 μH @ 30 A	33 A							10		
RTEI.0056	355 μH @ 38 A	41,8 A							11,5		
RTEI.0057	300 μH @ 45 A	49,5 A							12,5		
RTEI.0058	250 μH @ 54 A	59,5 A	13								
RTEI.0059	225 μH @ 60 A	66 A	240	160	88	120	OBL 10X18	14,5			
RTEI.0060	193 μH @ 70 A	77 A						15,5			
RTEI.0061	157 μH @ 86 A	94 A						17			
RTEI.0062	128 μH @ 105 A	116 A						20			
RTEI.0063	104 μH @ 130 A	143 A						22			
RTEI.0064	95 μH @ 142 A	162 A						103	135	OBL 10X18	23,5
											22

